

R&S Essentials Promotion

FULL BENCH. HIGH VALUE.

Up to 50% off our signature instrument bundles.
Preconfigured for you.

Widest variety
of fully equipped
products up to
50% off

Order now through
March 31, 2021



ROHDE & SCHWARZ

Make ideas real



WIDEST PRODUCT RANGE IN A SINGLE PROMOTION. UP TO 50 % SAVINGS ON MOST POPULAR CONFIGURATIONS.

Proven concept, extended range of product offers

Rohde&Schwarz has transformed customers' expectations of a promotion in 2019 with the introduction of fully equipped, preconfigured bundles for a single price.

A positive customer reaction to that offer convinced us to introduce a new promotion building on that success. It extends the winning principles of a single configuration to an even wider product range than before.

Now customers can benefit from up to 50 % off promotional offers across all the typical products present on an engineer's bench: from oscilloscopes, signal & spectrum analyzers, power analyzers and power supplies to vector network analyzers, signal generators, cable & antenna analyzers and power meter. Several of the instruments were recently launched on the market or have not been offered in this promotional configuration before.

Future-proof your investment!

Buying T&M equipment is a long-term investment. Some of the options available for purchase today might not be needed for a current T&M task, but could be required later. Securing a budget for updates can be time-consuming. What if you could just buy an instrument with everything you need now and might need in the future, for just a fraction of its regular price?

Leveraging customer feedback and its industry experience, Rohde&Schwarz has equipped its products to the fullest or compiled its most sought-after configurations for this limited-time offer. Benefit from the following:

- ▶ Options included upfront at point of purchase
- ▶ No need to configure, we take care of this for you
- ▶ Single price for each instrument
- ▶ Maximum bench performance and maximum savings



R&S®RTB2000
300 MHz oscilloscope
43 % discount



R&S®RTM3000
500 MHz oscilloscope
51 % discount



R&S®RTA4004
1 GHz oscilloscope
55 % discount



R&S®RTE1000
2 GHz oscilloscope
50 % discount



R&S®FPC1500
3 GHz spectrum analyzer
36 % discount



R&S®ZNL6
6 GHz 3-in-1 vector network analyzer
15 % discount

PROMOTIONAL OFFER AT A GLANCE

Oscilloscopes

- Performance: bandwidth up to 2 GHz
- Channels: up to 4 analog/16 digital (MSO)
- Sample rate: up to 5 Gsample/s
- Memory: up to 1 Gsample segmented memory
- Up to 10-bit ADC and 16-bit HD mode

Signal generator

- Frequency range: 9 kHz to 1.1 GHz or 3.2 GHz
- Maximum output level of typ. > +17 dBm
- Optional high-stability reference oscillator
- Analog modulation modes (AM/FM/φM/pulse) integrated as standard

Vector network analyzers

- Frequency range from 5 kHz to 6 GHz
- Two-port vector network analyzer for bidirectional measurements
- Wide dynamic range of typ. 130 dB
- Fully integrated spectrum analysis on the R&S®ZNL with R&S®ZNLx-B1 option

Power meter

- Intuitive operation with touch screen based GUI
- Supports up to four power sensors
- Supports all sensor-dependent measurement functions

Spectrum analyzers

- Frequency range: 5 kHz to 7.5 GHz
- DANL: -165 dBm (typ.)
- Phase noise (f = 500 MHz, 100 kHz offset): -105 dBc/Hz (typ.)
- Intuitive operation
- Multitouch interface with smartphone-like gesture operation on handheld devices

Power supplies

- Channel count: up to 4
- Electrically equivalent channels
- Max voltage: 4x32 V/channel
- Max current: 10 A/channel
- Max power: 384 W

Cable & antenna analyzers

- Frequency range up to 4 GHz
- One-port model features: DTF, return loss, VSWR & cable loss measurements, power sensor support
- Two-port model additionally features spectrum analysis and S21 transmission, as well as interference and modulation analysis
- Ideal for field use: up to 9-hour battery life, 2.5 kg (5.5 lb)



R&S®NGE100B
100 W power supply
24 % discount



R&S®NGP800
800 W power supply
12 % discount




R&S®Spectrum Rider FPH
4 GHz handheld spectrum analyzer
48 % discount



R&S®SMC100A
3.2 GHz signal generator
10 % discount



R&S®HMC8015
Power analyzer 0.05 % basic accuracy
34 % discount



R&S®FPL1007
7.5 GHz spectrum analyzer
15 % discount

DISCOVER POPULAR INSTRUMENT BUNDLES UNTIL MARCH 31, 2021

Oscilloscopes

R&S Model	Bandwidth/ channels	Product bundle description	List price Europe	Discount
R&S®RTC1K-COM2	300 MHz/ 2 analog / 8 digital	R&S®RTC1002: AWG, MSO, I²C, SPI, UART/RS-232/RS-422/RS-485, CAN/LIN	EUR 2,540 EUR 1,390	45 %
R&S®RTB2K-COM4	300 MHz/ 4 analog / 16 digital	R&S®RTB2004: AWG, MSO, I²C, SPI, UART/RS-232/RS-422/RS-485, CAN/LIN, frequency response analysis, history and segmented memory	EUR 5,925 EUR 3,390	43 %
R&S®RTM3K-54PK	500 MHz/ 4 analog / 16 digital	R&S®RTM3004: AWG, MSO, I²C, SPI, UART/RS-232/RS-422/RS-485, I²S LJ/RJ/TDM, MIL-1553, ARINC 429, CAN/LIN, power analysis, frequency response analysis, history and segmented memory, spectrum analysis	EUR 15,165 EUR 7,490	51 %
R&S®RTA4K-COM4	1 GHz/ 4 analog / 16 digital	R&S®RTA4004: AWG, MSO, I²C, SPI, UART/RS-232/RS-422/RS-485, I²S LJ/RJ/TDM, MIL-1553, ARINC 429, CAN/LIN, power analysis, frequency response analysis, history and segmented memory, spectrum analysis	EUR 20,110 EUR 9,990	55 %
R&S®RTE-COM4	2 GHz/ 4 analog / 16 digital	R&S®RTE1204: MSO, I²C, SPI, UART/RS-232/RS-422/RS-485, CAN/LIN, CAN-FD, CXPI, Flex-Ray, SENT, I²S, MIL-1553, ARINC 429, Space Wire, MIPI RFFE, Custom de-code, MDIO, USB1.0/1.1/2.0/HSIC, power analysis, spectrum analysis, Ethernet 100 BASE-T1, bus measurements	EUR 35,220 EUR 17,740	50 %
R&S®RTH1K-COM4	500 MHz/ 4 analog / 8 digital	R&S®RTH1004: MSO, I²C, SPI, UART/RS-232/RS-422/RS-485, CAN/LIN, CAN-FD, SENT, spectrum analysis, frequency counter, advanced trigger, harmonic analysis, remote control, history and segmented memory	EUR 11,270 EUR 7,390	34 %

Spectrum analyzers

R&S Model	Frequency range	Product bundle description	List price Europe	Discount
R&S®FPC-COM1	5 kHz to 3 GHz	R&S®FPC1000: frequency upgrade; -B22: preamplifier; -K7: modulation analysis; -K43: receiver mode; -K55: advance measurements	EUR 5,230 EUR 3,050	42 %
R&S®FPC-COM2	5 kHz to 3 GHz	R&S®FPC1500: frequency upgrade; -B22: preamplifier; -K7: modulation analysis; -K42: vector network analysis; -K43: receiver mode; -K55: advanced measurements	EUR 6,880 EUR 4,400	36 %
R&S®FPH-COM1	5 kHz to 4 GHz	R&S®FPH base unit: frequency upgrade; -B22: spectrum analyzer preamplifier; -K15: Interference analysis; -K16: signal strength mapping measurement application; -K7: modulation analysis; -K9: power sensor support; -K19: channel power meter; -K29: pulse measurements with power sensor; -K43: receiver mode & channel scanner measurement application	EUR 11,400 EUR 5,990	48 %
R&S®FPL1003-P6	5 kHz to 3 GHz	R&S®FPL1003 base unit; -B4: OCXO freq. reference; -B5: additional interfaces; -B9: Internal generator; -B10: GPIB interface; -B22: RF preamplifier; -B25: 1 dB step attenuator; -K7: anal. modulation analysis; -K54: EMI meas. application	EUR 19,855 EUR 16,852	15 %
R&S®FPL1007-P6	5 kHz to 7.5 GHz	R&S®FPL1007 base unit; -B4: OCXO freq. reference; -B5: additional interfaces; -B9: internal generator; -B10: GPIB interface; -B22: RF preamplifier; -B25: 1 dB step attenuator; -K7: anal. modulation analysis; -K54: EMI meas. application	EUR 23,930 EUR 20,340	15 %

Signal generator

R&S Model	Frequency range	Product bundle description	List price Europe	Discount
R&S®SMC100AP31	9 kHz to 1.1 / 3.2 GHz	R&S®SMC100A base unit; -B103: 9kHz - 3.2GHz; -B1: reference oscillator	EUR 7,950 EUR 7,155	10 %

Power supplies

R&S Model	Output channels	Product bundle description	List price Europe	Discount
R&S®HMP4040	4	R&S®HMP4040 base unit	EUR 2,150 EUR 1,995	7 %
R&S®NGE-COM3a	3	R&S®NGE103B: -K101: Ethernet remote control; -K102: Wireless LAN remote control; -K103: digital trigger I/O	EUR 1,315 EUR 995	24 %
R&S®NGL-COM2a	2	R&S®NGL202: -K102: Wireless LAN remote control; -K103: digital trigger I/O	EUR 3,480 EUR 2,995	14 %
R&S®NGM-COM2a	2	R&S®NGM202: -K102: Wireless LAN remote control; -K103: digital trigger I/O; -K104: digital voltmeter functionality; K106: battery simulation	EUR 6,350 EUR 5,650	11 %
R&S®NGP824COMb	4	R&S®NGP824: 64V/10A; -K103: digital trigger I/O; -K107: analog input	EUR 4,770 EUR 4,195	6 %

Power analyzer

R&S Model	Frequency range	Basic accuracy	Product bundle description	List price Europe	Discount
R&S®HMC8015COM	50 µW up to 12 kW	0,05%	R&S®HMC8015 base unit; -HOC151: advanced analysis; -HOC152: advanced I/O; -HOC153: compliance test	EUR 3,035 EUR 1,995	34 %

Vector network analyzers

R&S Model	Frequency range	Product bundle description	List price Europe	Discount
R&S®ZNL6-COM	5 kHz to 6 GHz	R&S®ZNL6 base unit; -B1: spectrum analysis; -B22: extended power range R&S®ZN-Z135 calibration kit; total of 4 years warranty	EUR 31,244 EUR 26,415	15 %
R&S®ZNL3-COM	5 kHz to 3 GHz	R&S®ZNL3 base unit; -B1: spectrum analysis; -B22: extended power range R&S®ZN-Z135 calibration kit; total of 4 years warranty	EUR 25,109 EUR 22,215	12 %
R&S®ZNLE6-COM	5 kHz to 6 GHz	R&S®ZNLE6 base unit; -B100: extended frequency range; R&S®ZN-Z135 calibration kit; total of 4 years warranty	EUR 16,754 EUR 15,110	10 %

Cable & antenna analyzers

R&S Model	Frequency range	Product bundle description	List price Europe	Discount
R&S®ZPH-COM1	2 MHz to 4 GHz	R&S®ZPH base unit; frequency upgrade, -B10: GPS support; -K9: power sensor support; -K19: channel power meter; -K29: pulse measurements with power sensor	EUR 6,515 EUR 3,390	48 %
R&S®ZPH-COM2	2 MHz to 4 GHz	R&S®ZPH combi analyzer; frequency upgrade, -B22: spectrum analyzer preamplifier; -K1: spectrum analysis measurement application; -K15: interference analysis; -K16: signal strength mapping measurement application; -K7: modulation analysis; -K9: power sensor support; -K19: channel power meter; -K29: pulse measurements with power sensor	EUR 13,460 EUR 6,990	48 %

Power meter

R&S Model	Product bundle description	List price Europe	Discount
R&S®NRX-COM4	R&S®NRX base unit; -K2: 2nd measurement channel; -K4: 3. and 4. NRP sens. conn.; -B1: sensor check source	EUR 8,560 EUR 7,850	8 %

Service that adds value

- ▶ Worldwide
- ▶ Local und personalized
- ▶ Customized and flexible
- ▶ Uncompromising quality
- ▶ Long-term dependability

You can find all of these promotional offers
at our authorized distributors in your country.

Rohde & Schwarz representative

Thurlby Thandar Instrument Distribution
Glebe Road, Huntingdon, PE29 7DR, UK

+44 (0)1480 412 451

sales@ttid.co.uk

www.ttid.co.uk



Rohde & Schwarz

The Rohde & Schwarz electronics group offers innovative solutions in the following business fields: test and measurement, broadcast and media, secure communications, cybersecurity, monitoring and network testing. Founded more than 80 years ago, the independent company which is headquartered in Munich, Germany, has an extensive sales and service network with locations in more than 70 countries.

www.rohde-schwarz.com

Sustainable product design

- Environmental compatibility and eco-footprint
- Energy efficiency and low emissions
- Longevity and optimized total cost of ownership

Certified Quality Management
ISO 9001

Certified Environmental Management
ISO 14001

Rohde & Schwarz training

www.training.rohde-schwarz.com

Rohde & Schwarz customer support

www.rohde-schwarz.com/support



R&S® is a registered trademark of Rohde & Schwarz GmbH & Co. KG
Trade names are trademarks of the owners
PD 3608.3410.32 | Version 04.01 | November 2020
Full bench. High value.
Data without tolerance limits is not binding | Subject to change
© 2020 Rohde & Schwarz GmbH & Co. KG | 81671 Munich, Germany